

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S23	368	electrodynamic near2 machine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 10:14
S27	273	(damper near2 wind\$3) same rotor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 10:16
S26	0	(damepr near2 wind\$3) same rotor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 10:16
S28	139	(brushless near2 exciter) same synchronous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 10:17
S31	2	S30 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 10:18
S29	3	S23 same S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 10:18
S30	17	S23 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 10:19
S32	1	S31 and S27 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 10:25

S35	0	S26 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 10:26
S33	10	S24 same S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 10:26
S25	363	((wound near2 rotor) same polyphase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 10:26
S36	1	S34 and damper	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 10:29
S34	8	S33 not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 10:29
S24	2053	((stator near2 armature) same wind\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:53
S38	10	((stator near2 armature) with wind\$3) and ((wound near2 rotor) with polyphase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:13
S43	4	S42 and damper	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:16

S42	20	S41 and (wound near2 rotor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:16
S49	0	S48 and (burshless near2 exciter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:20
S48	42	S47 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:20
S46	1	S45 and damper	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:20
S45	6	S40 and (brushless near2 exciter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:20
S44	0	S40 and (burshless near2 exciter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:20
S51	33	S50 and rotor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:21
S50	39	S48 and stator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:21

S53	3	S52 and (wound near2 stator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:22
S55	36	S54 and (wound near3 rotor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:17
S54	1300	damper near2 wind\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:17
S52	13	S51 and (wound near3 rotor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:17
S47	1300	damper near2 wind\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:17
S41	71	S40 and (stator near2 armature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:18
S56	6	S55 and (stator near2 armature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:23
S40	1941	induction near2 synchronous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:43

S57	41	((induction and synchronous) near2 (mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 14:00
S59	2	S58 and damper	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 14:04
S58	39	((induction with (startup start\$1up start-up)) same (synchronous with (run\$4 operat\$3 behav\$3 act\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 14:04
S61	2	("4139807").URPN.	USPAT	OR	ON	2005/08/08 14:22
S62	18	("4450396").URPN.	USPAT	OR	ON	2005/08/08 14:30
S63	11	((("3904901") or ("4176291") or ("4885494") or ("5325002") or ("5602430")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:44
S64	1	S63 and (polyphase near2 winding) with rotor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 15:51
S68	21	S65 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 15:52
S67	3596	(damper) with rotor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 15:52
S66	3	(damer) with rotor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 15:52

S65	569	(polyphase near2 wind\$3) with rotor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 15:52
S71	24133	exciter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 15:53
S70	2	S68 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 15:53
S69	414	brushless near2 exciter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 15:53
S73	103475	"318"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 15:57
S72	7	S68 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 15:57
S74	100261	S73 not (S22 S23 S24 S25 S26 S27 S28 S29 S30 S31 S32 S33 S34 S35 S36 S37 S38 S39 S40 S41 S42 S43 S44 S45 S46 S47 S48 S49 S50 S51 S52 S53 S54 S55 S56 S57 S58 S59 S60 S61 S62 S63 S64 S65 S66 S67 S68 S69 S70 S71 S72)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 15:59
S76	0	S75 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 16:00
S77	13	("1417732"   "1499359"   "1499360"   "1662549"   "1808435"   "2692365").PN. OR ("4039922").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/08 16:09

S78	14	stator and (rotor with (polyphase near3 wind\$3)) and (damper same rotor) and exciter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 16:14
S75	10	stator and (rotor with (polyphase near3 wind\$3)) and (damper with rotor) and exciter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 16:14
S79	4	S78 not S75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 16:15
S80	18	(stator and rotor and damper and exciter) and (polyphase near2 wind\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 16:16
S81	4	S80 not S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 16:17
S82	10	((stator near2 armature) with wind\$3) and ((wound near2 rotor) with polyphase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 16:26
S83	140	stator and rotor and damper and exciter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 16:27
S85	7	("3930175").URPN.	USPAT	OR	ON	2005/08/08 16:28
S84	18	S83 and (polyphase near2 wind\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 16:28
S88	2	("4139807").URPN.	USPAT	OR	ON	2005/08/11 18:16

S87	10	((stator near2 armature) with wind\$3) and ((wound near2 rotor) with polyphase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 18:16
S91	2222	(induction near (mode motor)) same (synchronous near (motor mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 18:18
S89	3016	(induction near (mode motor)) and (synchronous near (motor mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 18:18
S86	7	((stator near2 armature) with wind\$3) and ((wound near2 rotor) with polyphase) and (induction near (mode motor)) and (synchronous near (motor mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 18:18
S92	24	S90 same (stator and rotor and damper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 18:19
S93	9	(induction near (mode motor)) with (synchronous near (motor mode)) same (generat\$3 near electric) same (start\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 18:37
S94	0	(induction near (mode motor)) with (synchronous near (motor mode)) same (rotor near ((mult\$4 poly) near (phase)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 18:38
S98	0	("2210627").URPN.	USPAT	OR	ON	2005/08/11 18:41
S97	0	("1784235").URPN.	USPAT	OR	ON	2005/08/11 18:41
S96	3	(induction near (mode motor)) with (synchronous near (motor mode)) same (rotor with ((mult\$4 poly) near (phase)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 18:41



S95	1	((induction near (mode motor)) with (synchronous near (motor mode)) same (rotor near2 ((mult\$4 poly) near (phase))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 18:41
S39	1	((stator near2 armature) same wind\$3) and ((wound near2 rotor) same polyphase) and damper and (brushless near2 exciter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 18:45
S99	1	((stator near2 armature)) and ((wound near2 rotor) same polyphase) and damper and (brushless near2 exciter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 18:46
S10 1	0	((stator near2 armature)) and ((rotor) same ((poly mult\$5) near phase)) and damper and (brushless near2 exciter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 18:47
S10 0	2	((stator near2 armature)) and ((rotor) same polyphase) and damper and (brushless near2 exciter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 18:47
S10 2	0	((stator near2 armature)) and ((rotor) same ((poly mult\$5) near2 phase)) and damper and (brushless near2 exciter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 18:48
S10 5	6	S103 and (brushless near exciter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 18:50
S10 3	743	((induction near (mode motor)) with (synchronous near (motor mode)) and rotor and stator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 18:50

S90	1523	((induction near (mode motor)) with (synchronous near (motor mode)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 18:50
S10 4	97	S103 and exciter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 18:54
S10 6	743	((induction near (mode motor)) with (synchronous near (motor mode))) and rotor and stator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 11:40
S10 7	175	((induction near (mode motor)) with (synchronous near (motor mode))) with (start\$3 initial\$3)) and rotor and stator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 11:58
S10 9	266	S106 and S108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 12:06
S10 8	28907	((damp\$3 amortisseur start\$3) near wind\$3) (squirrel near cage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 12:25
S11 1	102	S106 and S110	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 12:27
S11 0	1100	((damp\$3 amortisseur start\$3) near wind\$3) (squirrel near cage)) and (exciter (dc near generator) (excit\$4 near2 current))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 12:27
S11 2	27	("5055700").URPN.	USPAT	OR	ON	2005/08/12 15:42
S11 4	0	S111 and (short near rotor)	USPAT	OR	ON	2005/08/12 15:43

S11 3	395	S111 (short near rotor)	USPAT	OR	ON	2005/08/12 15:43
S11 6	1	"6528967"	USPAT	OR	ON	2005/08/12 16:41
S11 5	7	S111 and (short near3 rotor)	USPAT	OR	ON	2005/08/12 16:41
S11 8	1	"3959702".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/12 17:42
S11 7	9	("3584276"   "3636423"   "3845372"   "4088934"   "4862052"   "5151642"   "5587641"   "5990590"   "6388416").PN. OR ("6528967").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/12 17:42
L1	2	"6008561".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 12:32
L8	102	L6 and L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 12:34
L7	1100	((damp\$3 amortisseur start\$3) near wind\$3) (squirrel near cage)) and (exciter (dc near generator) (excit\$4 near2 current))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 12:34
L6	743	(induction near (mode motor)) with (synchronous near (motor mode)) and rotor and stator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 12:34
L9	7	L8 and (short near3 rotor)	USPAT	OR	ON	2005/08/13 12:47
L10	1	9 and damper	USPAT	OR	ON	2005/08/13 12:48
L13	1	(poly\$1phase near wind\$3) with damper	USPAT	OR	ON	2005/08/13 13:26
L12	0	(poly near phase near wind\$3) with damper	USPAT	OR	ON	2005/08/13 13:26
L11	3	9 and damp\$3	USPAT	OR	ON	2005/08/13 13:26

L14	9	(poly\$1phase near wind\$3) with damper	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 13:27
L17	4	16 and (short\$3 near3 rotor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 13:28
L15	348	(poly\$1phase near wind\$3) with rotor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 13:28
L18	18	16 and induction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 13:29
L16	23	15 and damper	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 13:29
L19	16	18 and synchronous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 13:30
L20	5	19 and (short\$2 near3 wind\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 13:31